Produced in collaboration with Barts Health NHS Trust, Waltham Forest CCG, Tower Hamlets CCG, Newham CCG, Barking and Dagenham Havering and Redbridge CCGs, City and Hackney CCG, Homerton University Hospital NHS Foundation Trust, Barking Havering and Redbridge University Hospitals NHS Trust, East London Foundation Trust, North East London Foundation Trust



NORTH EAST LONDON Primary and Secondary Care Collaborative Hospital Only and Joint Prescribing list

Hospital Only List & Joint Prescribing List

The East London Health and Care Partnership medicines optimisation sub-committee has revised the recommendations previously made by the North East London Medicines Management Network (NELMMN) for a single list of drugs for 'hospital only prescribing'. In addition a second list, Joint Prescribing List (JPL) has also been created to capture those medicines where a specific prescribing arrangement may be in place between the NEL CCGs and Provider trusts.

Criteria for Entry onto the Hospital Only List (HOL)

The drug is only suitable for Hospital prescribing if any of the following criteria is met

- 1) The drug requires a level of specialist knowledge and complexity that can only be managed by a hospital team e.g. Systemic Anti-Cancer Drugs
- 2) Administration of the drug needs to be in a specialist setting as it requires complex monitoring and equipment that is only available in the hospital e.g. day care unit, inpatient drugs
- 3) The medicine is only available through the provider i.e. not available on a FP10, including any 'borderline' products used outside of approved indications
- 4) Medicines classified as 'Orphan drugs' e.g. those designated by the EMEA to promote development of drugs to treat rare diseases or conditions. They have marketing exclusivity for 10 years with assistance from the EMEA in optimising drug development and applications for marketing approval
- 5) Unlicensed medicines where the use of the medicine is not well established and not supported by clear evidence/information
- 6) Responsibility for prescribing will rest with the hospital clinician when drugs are being used as part of a clinical trial
- 7) The drug has been agreed to remain in hospital for a fixed term pending review as agreed at local medicines committees
- 8) Medicines used to treat HIV/AIDS (antiretroviral medicines) should always be prescribed by a hospital specialist and all medicines from this class will not be named individually.
- 9) Blood products including immunoglobulins should only be prescribed by hospital specialist and will not be specifically named in this list.
- 10) Medicines used for Gene therapy or cellular transplantation (liver cell/stem cells etc...) should always be prescribed by a hospital specialist and all medicines in this class will not be specifically named in this list.
- 11) Parenteral nutrition should always be prescribed by a hospital specialist and all individual constituents of the nutrition regimen will not be specifically mentioned in this list.
- 12) Medicines used for complex diagnostics should always be prescribed by a hospital specialist and all medicines in this class will not be named specifically in this list
- 13) Medicines used exclusively as bladder irrigations/instillations should always be prescribed by a hospital specialist and all medicines from this class will not be specifically named in this list.
- 14) Medicines used to treat Tuberculosis (TB) infection should always be prescribed by a specialist and all medicines form this class will not be specifically be named in this list if prescribed solely for the purpose of treating TB.



- 15) Monoclonal antibodies (irrespective of the route of administration) should only be prescribed by a hospital specialist and all medicines from this class will not be specifically named in this list.
- 16) Medicines used as Systemic Anti-Cancer Treatment (SACT) must always be prescribed by a hospital specialist. These medicines will not all be specifically named in this list.

Principles for Drugs on the HOL

- 1) Hospital-only classification could be assigned for one indication for a drug as distinct from others.
- 2) Intravenous, intraocular and intrathecal products would generally be assigned hospital-only classification (and may not be individually named on this list), unless part of a specifically commissioned arrangement for Primary Care prescribing. This should not preclude use in urgent treatment or other situations where this has been judged has to be clinically needed, and where oral treatment is not appropriate. Medicines administered via subcutaneous injection should not automatically be designated as hospital only.
- 3) In exceptional cases, there may be occasions due to the location of the patient/mobility issues where it is in the interest of patient care to warrant GP prescribing. In these situations, a case by case assessment will be made and clear guidance must be provided by the referring consultant to the respective GP or a homecare arrangement.
- 4) Drugs should not be added to the list simply because they are newly licensed.
- 5) Drugs listed by NHS England as commissioned exclusively from Secondary and Tertiary Care should always be prescribed by a hospital specialist unless deemed suitable for shared care and agreed to by local prescribing committees and commissioners. These medicines will not be all named specifically as they can be accessed directly from the NHS England website. <u>https://www.england.nhs.uk/publication/nhs-england-drugs-list</u>
- Any drugs where prescribing may be a joint responsibility (e.g. shared care, hospital initiation but continuation in primary care) will not be included on this list. These drugs will be included on the Joint Prescribing List (JPL)
- Shared care guidelines will only be produced when there is a sufficiently large group of patients to warrant it. In these situations, sufficient information will be provided to ensure safe prescribing.
- 8) Medicines will not be added to the list solely on the grounds of cost.
- 9) Drugs should not be placed on the list to because there is no mechanism in place to manage prescribing in primary care.
- 10) Medicines deemed by a national or regional body to be of limited clinical value will not be specifically mentioned in this list and local medicines committees should endeavour to remove these from respective formularies.
- 11) Barbiturates should only be prescribed under specialist only supervision, therefore as a group would be considered hospital only.
- 12) Fertility treatments in general would be considered hospital only as a group, and are not individually named
- 13) Non-formulary items that apply to all trusts within the STP are not included, as they are not recommended for prescribing in general unless the relevant Hospital Drugs and Therapeutics Committee (DTC) Chairs actions is sought.
- 14) For medicines recommended from a tertiary centre, prescribers should liaise directly with that centre to clarify prescribing and supply



15) The NHS England Medicines of limited value list can be found here: <u>https://www.england.nhs.uk/wp-content/uploads/2017/11/items-which-should-not-be-routinely-precscribed-in-pc-ccg-guidance.pdf</u>

These recommendations are made without prejudice to established long-standing prescribing, and are not intended to disrupt the care of patients already receiving any of the drugs in the list below.

HOSPITAL ONLY PRESCRIBING LIST

The Medicines listed below are to be prescribed only by a Hospital Specialist

Drug name	indication for use			
Antiretrovirals (all)	All indications			
Antivirals for Hep B and C drugs	Hep B and C			
Blood products including immunoglobulins	All indications			
Monoclonal Antibodies	All indications			
Systemic Anti-Cancer Treatment	Treatment of cancer			
Medicines classified as 'Orphan Drugs'	All indications			
Medicines that are administered via intraocular injection or implant, intravenous, intrathecal administration	Unless there is locally commissioned service			
Bladder instillations or irrigations	All indications			



Parenteral nutrition	All indications		
Iedicines used for Gene therapy or cellular All indications ransplantation All indications			
Medicines used for complex diagnostics in hospital	All indications - to be conducted in hospital		
3-4 Diaminopyridine	All indications		
5-Aminolevulinic Acid	All indications		
5-Methoxypsoralen	All indications		
8-Methoxypsoralen	All indications		
Abatacept	All indications		
Acitretin Capsules	All indications		
Alitretinoin Capsules	All indications		
Allergoids	All indications		
Anagrelide	All indications		
Apomorphine	All indications (unless a shared care agreement is in place)		
Apremilast	All indications		
Aprepitant	All indications		



Artemether/Lumefantrine	All indications		
Artesunate	All indications		
Atovaquone	All indications		
Azathioprine	In Severe Resistant Childhood Atopic Eczema Renal Transplantation		
Buserelin	All indications		
Caffeine Citrate	All indications		
Calcium Folinate (Folinic acid)	All indications		
Calcium Polystyrene Sulphonate	All indications		
Continuous ambulatory peritoneal dialysis (CAPD) fluids	All indications		
Carboprost	All indications		
Cetrorelix	All indications		
Chlordiazepoxide	All indications unless specialist commissioned service		
Chorionic gonadotropin (choriogonadotropin alfa)	All indications		
Ciclosporin	In Renal Transplant Patients Severe Resistant Childhood Psoriasis and Atopic Eczema		
Clozapine	All indications		



Dapsone	All indications		
Denosumab	Skeletal related events in cancer		
Diamorphine intranasal (unlicensed)	All indications		
Diamorphine Topical (unlicensed)	All indications		
Diazoxide	All indications		
Dihydrotestosterone 2.5% Gel (Andractim)	All indications		
Diloxanide	All indications		
Dinoprostone (all formulations)	All indications		
Disulfiram	All indications		
Eltrombopag	All indications		
Erythropoietin	Cancer treatment only		
Fidaxomicin	All indications		
Gliolan	All indications		
Goserelin	All indications except for treatment of Prostate cancer		
Hyaluronic Acid Injection and dermal filler (Juvederm 'voluma', 'volift' and 'volbella') Allergan Ltd)	All indications		



Hydroquinidine	All indications			
Iodine Aqueous Oral Solution	All indications			
Iron Isolmaltoside 1000 (Diafer)	All indications			
Isoniazid	Renal patients post-transplant			
Isotretinoin Capsules	All indications, unless there is a locally commissioned specialis service			
Leuprorelin	All indications except for treatment of prostate cancer (and BHF for precocious puberty)			
Linezolid	All indications			
Lofexidine	All indications			
Mesna	All indications			
Methotrexate	Prescribing in childhood arthritis only			
Methoxsalen	All indications			
Methoxyflurane (Penthrox)	All indications			
Methoxypolyethylene glycol epoetin beta	All indications			
Methyl 5- Aminolevulinate (Metvix®) Cream	All indications			
Methyl aminolevulinate (Ameluz®) Gel	All indications			



Mianserin	All indications			
Mifepristone	All indications			
Minocycline	All indications			
Misoprostol	All obstetrics indications			
Mitotane	All indications			
Modafinil	Fatigue in patients with Multiple Sclerosis			
Mycophenolate mofetil/ mycophenolic acid	For use post organ transplant			
Nafarelin	All indications			
Nelarabine	All indications			
Nepafenac	All indications			
Nimodipine	All indications			
Octreotide	All indications			
Oxandrolone	All indications			
Paricalcitol	Refractory Secondary Hyperparathyroidism (SHPT) in patients with chronic kidney disease			
Patiromer	All indications			



Pentamidine	All indications		
Pentosan	All indications		
Pericyazine	All indications		
Phenoxybenzamine	All indications		
Phentolamine	All indications		
Primaquine	All indications		
Probenecid	All indications		
PUVASoralen-8 1.2% Bath Additive	All indications		
Pyrimethamine	All indications		
Rifampicin	For TB and Leprosy		
Romiplostim	All indications		
Sclerosing (Aqueous) Solution	All indications		
Sculptra® (formerly New Fill®)- cosmetic filler	HIV-associated facial lipoatrophy		
Sildenafil	Pulmonary Hypertension and Raynauds		
Sirolimus	All indications		



Sodium Clodronate	All indications			
Stiripentol	For severe myoclonic epilepsy in infancy (Dravet Syndrome)			
Tacrolimus	Renal Transplantation			
Tadalafil	For pulmonary arterial hypertension only			
Thyrotropin alpha	All indications			
Tolvaptan	All indications			
Triptorelin	All indications except for treatment of prostate cancer			
Tuberculin PPD	All indications			
Ulipristal for uterine fibromyoma	All indications			



Document Control

Replaces (if		Author(s)/Originator(s): (please state author name and department)			
Version 1	Legacy	Name	Position	Organisation	
number: 2	NELMMN	Mohammed	Clinical	Barts Health	
	Hospital	Zahir Rashid	Pathways	NHS Trust	Issue date:
	only list		and		01/04/2019
			Formulary		Review Date:
			Pharmacist		01/04/2020
3	STP update – agreed hospital only list	Farrah Asghar/ Shammi Khatun	Formulary and Commissio ning pharmacist	Barts Health NHS Trust	Approved: April 2020 Review: April 2021
Organisations who have adopted this document		Date ratified by prescribing board			
Barts Health NHS Trust		31/03/2020			
Barking and Dagenham, Havering & Redbridge CCG'S					
Barking Havering and Redbridge University Hospitals NHS Trust					
City and Hackney CCG					
East London Foundation Trust (ELFT)					
Homerton University Hospital NHS Foundation Trust					
North East London Foundation Trust (NELFT)					
WEL CCG		16/03/2	2020		