DEEP VEIN THROMBOSIS GP REFERRAL PROFORMA

BHR Primary Care Logo

ALL SECTIONS MUST BE COMPLETED IN FULL A COPY OF THIS PROFORMA MUST BE GIVEN TO THE PATIENT FOR THEM TO HAND TO THE DVT CLINIC NURSE #6216

Two-Level DVT Wells Score					Calf	
Oli de l'Estat	15				rements	
Clinical Feature	Points	Score		Left	Cm	
Active Cancer (treatment ongoing, within 6/12 or palliative).	1			Right	Cm	
Paralysis, paresis or recent plaster immobilisation of the lower limb.	1					
Localised tenderness along the distribution of the deep vein system.	1			DVT likely (2		
Recently bedridden for 3 days or more or major surgery within 12 weeks requiring general or regional anaesthesia.	1		1	points or more):		
Entire leg swollen	1			DVT!	lealer (4	
Calf swelling at least 3cms larger than asymptomatic leg.	1			DVT unlikely (1 point or less): See over for pathway		
Pitting oedema confined to the symptomatic leg.	1					
Collateral/dilated superficial veins (non-varicose).	1		1			
Previously documented DVT.	1					
An alternative diagnosis is at least as likely as DVT.	-2		1			
Total Score			1			

Patient No:	Date:	Time seen:	
Date of birth:	Seen by – print name:		
Name:	Position:		
Address:	GMC/NMC Number:		
Telephone No:	Referring department:	:	

Observations	
Temp	
Resps	
Pulse	
ВР	/
O2 Sats%	
Weight	

Presenting Complaint:			

Past medical history:	
ast medical history.	



GP REFERRAL Patient Pathway



Wells' score 2 or more (high risk)



Steps

(same day appointment @DVT clinic)

Contact the DVT clinic on #6216 to arrange appointment for further assessment +/- Doppler scan.

Copy of completed GP referral proforma to be given to the patient to hand to the DVT clinic nurse.

Patient attends DVT clinic (same day).

OR

Steps

(non-same day appointment)

If scan can NOT be completed on the same day. Then supply treatment dose anticoagulation (minimum 3 day supply).

Copy of completed GP referral proforma to be given to the patient to hand to the DVT clinic nurse.

Patient attends DVT clinic within 3 days.








Negative DVT Discharged to **GP** to consider alternative diagnosis

Please refer to the Anticoagulation initiation in Primary Care for DVT patient's policy on what treatment to use until Doppler scan is performed.





Refer patient to UTC with completed proforma. For fast track (POCT) D.Dimer.& baseline bloods





Positive D.Dimer







Refer to the **DVT** clinic for further assessment





Consider alternative diagnosis and discharge with oral advice and information leaflet.

In hours 8:30am - 4:00pm

Call 6216 DVT Clinic for same day appointment.



Out of hours or DVT clinic fully booked

(non-same day) Supply treatment dose of anticoagulation. Book next available appointment in DVT clinic via Medway (NU2DT)



Patient seen in the DVT clinic. Patient must have a copy of completed proforma to give to the DVT clinic nurse.



Positive DVT Treat & Follow up in Anticoag



Negative DVT Discharge to GP to consider alternative diagnosis