

NHS Pharmacy First – referrals for minor illnesses

Service suitability

The service is only for patients aged over 1 year.

CONDITIONS	What conditions are SUITABLE for referral to pharmacists?			Do NOT refer in these circumstances	
BITES/STINGS	<ul style="list-style-type: none"> Bee sting Wasp sting 	<ul style="list-style-type: none"> Stings with minor redness 	<ul style="list-style-type: none"> Stings with minor swelling 	<ul style="list-style-type: none"> Drowsy / fever Fast heart rate 	<ul style="list-style-type: none"> Severe swellings or cramps
COLDS	<ul style="list-style-type: none"> Cold sores Coughs 	<ul style="list-style-type: none"> Flu-like symptoms 	<ul style="list-style-type: none"> Sore throat 	<ul style="list-style-type: none"> Lasted +3 weeks Shortness of breath 	<ul style="list-style-type: none"> Chest pain Unable to swallow
CONGESTION	<ul style="list-style-type: none"> Blocked or runny nose 	<ul style="list-style-type: none"> Constant need to clear their throat 	<ul style="list-style-type: none"> Excess mucus Hay fever 	<ul style="list-style-type: none"> Lasted +3 weeks Shortness of breath 	<ul style="list-style-type: none"> 1 side obstruction Facial swelling
EAR	<ul style="list-style-type: none"> Earache 	<ul style="list-style-type: none"> Ear wax Blocked ear 	<ul style="list-style-type: none"> Hearing problems 	<ul style="list-style-type: none"> Something may be in the ear canal Discharge 	<ul style="list-style-type: none"> Severe pain. Deafness Vertigo
EYE	<ul style="list-style-type: none"> Conjunctivitis Dry/sore tired eyes Eye, red or Irritable 	<ul style="list-style-type: none"> Eye, sticky Eyelid problems 	<ul style="list-style-type: none"> Watery / runny eyes 	<ul style="list-style-type: none"> Severe pain Pain 1 side only 	<ul style="list-style-type: none"> Light sensitivity Reduced vision
GASTRIC / BOWEL	<ul style="list-style-type: none"> Constipation Diarrhoea Infant colic 	<ul style="list-style-type: none"> Heartburn Indigestion 	<ul style="list-style-type: none"> Haemorrhoids Rectal pain, Vomiting or nausea 	<ul style="list-style-type: none"> Severe / on-going Lasted +6 weeks 	<ul style="list-style-type: none"> Patient +55 years Blood / Weight loss
GENERAL	<ul style="list-style-type: none"> Hay fever 	<ul style="list-style-type: none"> Sleep difficulties 	<ul style="list-style-type: none"> Tiredness 	<ul style="list-style-type: none"> Severe / on-going 	
GYNAE / THRUSH	<ul style="list-style-type: none"> Cystitis Vaginal discharge 	<ul style="list-style-type: none"> Vaginal itch or soreness 		<ul style="list-style-type: none"> Diabetic / Pregnant Under 16 / over 60 Unexplained bleeding 	<ul style="list-style-type: none"> Pharmacy treatment not worked Had thrush 2x in last 6 months
PAIN	<ul style="list-style-type: none"> Acute pain Ankle or foot pain Headache Hip pain or swelling Knee or leg pain 	<ul style="list-style-type: none"> Lower back pain Lower limb pain Migraine Shoulder pain 	<ul style="list-style-type: none"> Sprains and strains Thigh or buttock pain Wrist, hand or finger pain 	<ul style="list-style-type: none"> Condition described as severe or urgent Conditions have been on-going for +3 weeks 	<ul style="list-style-type: none"> Chest pain / pain radiating into the shoulder Pharmacy treatment not worked Sudden onset
SKIN	<ul style="list-style-type: none"> Acne, spots and pimples Athlete's foot Blisters on foot Dermatitis / dry skin Hair loss 	<ul style="list-style-type: none"> Hay fever Nappy rash Oral thrush Rash - allergy Ringworm / threadworm 	<ul style="list-style-type: none"> Scabies Skin dressings Skin rash Warts/verrucae Wound problems 	<ul style="list-style-type: none"> Condition described as severe or urgent Conditions have been on-going for +3 weeks 	<ul style="list-style-type: none"> Pharmacy treatment not worked Skin lesions / blisters with discharge Diabetes related?
MOUTH/THROAT	<ul style="list-style-type: none"> Cold sore blisters Flu-like symptoms Hoarseness 	<ul style="list-style-type: none"> Mouth ulcers Sore mouth Sore throat 	<ul style="list-style-type: none"> Oral thrush Teething Toothache 	<ul style="list-style-type: none"> Lasted +10 days Swollen painful gums Sores inside mouth 	<ul style="list-style-type: none"> Unable to swallow Patient has poor immune system Voice change
SWELLING	<ul style="list-style-type: none"> Ankle or foot swelling Lower limb swelling 	<ul style="list-style-type: none"> Thigh or buttock swelling Toe pain or swelling 	<ul style="list-style-type: none"> Wrist, hand or finger swelling 	<ul style="list-style-type: none"> Condition described as severe or urgent Condition ongoing for +3 weeks 	<ul style="list-style-type: none"> Discolouration to skin Pharmacy treatment not worked Recent travel abroad

NHS Pharmacy First – 7 clinical pathways

Please note these are the main exclusions. Each pathway has additional specific clinical exclusions which will be considered by the community pharmacist during the consultation.

Urinary tract infection	Shingles*	Impetigo	Infected insect bites	Acute sore throat	Acute sinusitis	Acute otitis media
A UTI is an infection in any part of the urinary system.	Shingles is an infection that causes a painful rash	Impetigo is a common infection of the skin. It is contagious, which means it can be passed on by touching.	Insect bites and stings can become infected or cause a reaction.	Sore throat is a symptom resulting from inflammation of the upper respiratory tract	Sinusitis is swelling of the sinuses, usually caused by an infection. The sinuses are small, empty spaces behind your cheekbones and forehead that connect to the inside of the nose.	An infection of the middle ear.
Inclusion: <ul style="list-style-type: none"> Female Aged between 16 - 64 Suspected lower UTI 	Inclusion: <ul style="list-style-type: none"> 18 years and over Suspected case of shingles. Rash appeared within the last 72 hours - 7 days 	Inclusion: <ul style="list-style-type: none"> 1 year and over Signs and symptoms of impetigo Localised (4 or fewer lesions/clusters present) 	Inclusion: <ul style="list-style-type: none"> 1 year and over Infection that is present or worsening at least 48 hours after the initial bite(s) or sting(s) 	Inclusion: <ul style="list-style-type: none"> 5 years and over Suspected sore throat 	Inclusion: <ul style="list-style-type: none"> 12 years and over Suspected signs and symptoms of sinusitis Symptom duration of 10 days or more 	Inclusion: <ul style="list-style-type: none"> Aged between 1–17 Suspected signs and symptoms of acute otitis media
Exclusion: <ul style="list-style-type: none"> Male <16 or >64 Pregnant Breastfeeding Recurrent UTI (2 in last 6 months or 3 in last 12 months) Catheter 	Exclusion: <ul style="list-style-type: none"> < under age of 18 Pregnant or suspected pregnancy Breastfeeding with shingle sores on the breasts Shingles rash onset over 7 days ago 	Exclusion: <ul style="list-style-type: none"> < under 1 year of age Pregnancy or suspected pregnancy in individuals under 16 years of age Breastfeeding with impetigo lesion(s) present on the breast Recurrent impetigo (2 or more episodes in the same year) Widespread lesions/clusters present Systemically unwell 	Exclusion: <ul style="list-style-type: none"> < under 1 year of age Pregnancy or suspected pregnancy in individuals under 16 years of age Systemically unwell Bite or sting occurred while travelling outside the UK 	Exclusion: <ul style="list-style-type: none"> Individuals under 5 years of age Pregnancy or suspected pregnancy in individuals under 16 years of age age Recurrent sore throat/tonsillitis (7 or more significant episodes in the preceding 12 months or 5+ in each of the preceding 2 years, or 3+ in the preceding three years) Previous tonsillectomy 	Exclusion: <ul style="list-style-type: none"> Individuals under 12 years of age Pregnancy or suspected pregnancy in individuals under 16 years of age Symptom duration of less than 10 days Recurrent sinusitis ((4 or more annual episodes of sinusitis) 	Exclusion: <ul style="list-style-type: none"> Individuals under 1 year of age or over 18 years of age Pregnancy or suspected pregnancy in individuals under 16 Recurrent infection (3+ episodes in preceding 6 months, or 4+ episodes in the preceding 12 months with at least one episode in the past 6 months.)